

For Natural Gas and
Liquefied Petroleum Gas




POLYETHYLENE-COATED SOFT COPPER TUBING

Kamco. We've got you covered.

FOR NATURAL GAS AND LP/GAS LINES



GAS-TEC®



Customer Driven Quality.
Customer Driven Service.
Customer Driven Innovation.



A Granby Company

Gas-Tec[®] Factory Coated Copper For Natural Gas And LP/Gas

Known for our superior quality and unprecedented customer service, Kamco Products is the leading manufacturer of polyethylene-coated copper tubing in North America. Kamco uses only the highest quality copper tubing to ensure our customers can walk away from an installation with pride.

Why use polyethylene coated copper?

Kamco combines the benefits of copper tubing with our factory coating to provide you with an economical, easy-to-use product for your Natural Gas and LP/Gas installations. The polyethylene coating not only provides added corrosion protection, but enables our tubing to be

used for both above and below ground installations. By coating the tubing with polyethylene, we are able to color code the tubing for easy identification. Gas-Tec's yellow coating also has continuous line markings printed directly on the tube which clearly identify the tube's contents, ASTM specifications, size and ascending footage. These markings significantly reduce the risk of mistaking a gas line for a water line, providing greater peace of mind. Each production run is also identified with a unique lot number that is marked on both the copper tubing and on the plastic coating. These markings allow the tubing to be easily traced back to the origin and time of manufacture if required.



INTERIOR INSTALLATION



INSTALLATION TIP

By removing the burr on the copper prior to flaring, you will improve your fitting seal. A simple deburring tool like the one shown is just an easy way to help make your installation of coated copper a success. For more installation tips, call us today at 1 800 891-0800.



THE STRENGTHS OF COPPER



THE PROTECTION OF FACTORY COATING

Flexible

Uses standard flare fittings

Requires fewer tools

Economical

No additional training required

Compact size

Can be added to steel pipe

Added corrosion protection

Clearer content identification

Less inventory to carry – can be used above and below ground

Added prevention against kinking during installation

High quality polyethylene coating - one of the most inert plastics available

Easy to measure – ascending footage printed on coating

Customer Driven Quality.

Customer Driven Service.

Customer Driven Innovation.



GAS-TEC®

The Kamco Coated Copper Difference

At Kamco, we are dedicated to providing our customers with superior quality products that help make their installations easier and more efficient. And we back that quality up with a strong commitment to outstanding customer service. We listen to our customers. In fact, the innovative products we are recognized for have all been inspired by our customer's suggestions and requests.

Our goal is to cover all of your installation needs. We want to hear about them. And we want to meet those needs. We have a responsive customer service team anxious to hear how we can make your next installation easier and hassle-free. We encourage you to call us toll-free at 1 800 891-0800 with your feedback.

CUSTOMER DRIVEN QUALITY

- Use only the highest quality copper tubing available
- All tubing quality inspected
- Production facility dedicated to coated copper production
- Quality control: unique lot numbers printed directly on copper and outer coating for traceability

CUSTOMER DRIVEN SERVICE

- Fast delivery: within 2-4 days to most wholesalers across the US and Canada
- Customer service offices in both the East and West
- Innovative products driven by customer suggestions

	NOMINAL SIZE	OUTSIDE DIAMETER	WALL THICKNESS	STANDARD LENGTHS*
TYPE L-G/GAS ASTM B88/B837	1/4"L	3/8" G/GAS	.030"	60' 100' 250'
	3/8"L	1/2" G/GAS	.035"	60' 100' 250'
	1/2"L	5/8" G/GAS	.040"	60' 100' 250'
	5/8"L	3/4" G/GAS	.042"	60' 100'
	3/4"L	7/8" G/GAS	.045"	60' 100'
TYPE L ASTM B88	1"L	1 1/8"	.050	60' 100'
ACR/REFRIGERATION ASTM B68/B280		3/8"	.032"	50' 100' 250'
		1/2"	.032"	50' 100' 250'
		5/8"	.035"	50' 100' 250'


* Custom lengths available upon request

POLYETHYLENE-COATED SOFT COPPER TUBING



Make Sure You've Got Kamco

Look for the line-marking, as seen above on your next roll of coated copper. It's the sign of quality. It's the sign of Kamco.



FOR NATURAL GAS AND LIQUEFIED PETROLEUM GAS

www.kamcoproducts.com

TOLL FREE | 1.800.891.0800

Kamco. *Customer Driven Innovation.*

AQUA SHIELD™	GAS-TEC PLUS™	OIL PRO-TEC™	PRO-TEC PLUS™
			
POTABLE WATER TUBE	OUTER SLEEVED GAS TUBE	GROOVED OIL TUBE	OUTER-SLEEVED OIL TUBE



All Good Things Must Come To An End

Try the Kamco Copper Stopper™ on your next gas installation. This custom termination flange transitions the copper tube back to standard pipe, reducing the amount of Gas-Tec tubing required for a job and protecting the line from damage. It also leaves a clean and professional finish. Call us today for details.

At Kamco, we are proud to say that every product we manufacture was inspired by customer feedback. It is our goal to simplify installations for our customers, while providing exceptional quality tubing.

In addition to *Gas-Tec*®, we also offer an outer-sleeved coated copper tubing for applications requiring additional physical protection. *Gas-Tec Plus*™ features a black high density polyethylene (HDPE) sleeve covering our *Gas-Tec* coated copper tubing. *Gas-Tec Plus* eliminates the need for on-site sleeving for special application installations, and is the ideal solution for projects requiring the tubing to be buried under concrete. Not only is the tubing protected from any damage, but if necessary, *Gas-Tec Plus* allows for quick and easy removal of the tubing without having to remove the concrete.

Kamco also manufactures polyethylene coated copper tubing for potable water, fuel oil and various industrial applications. For fuel oil applications we offer both our standard factory coated copper tubing as well as an outer-sleeved coated copper tubing.

To complement the lines of tubing, Kamco offers several accessories. These include a custom termination flange, spring benders, heat shrink kits, PVC tape, and deburring tools.

We are a customer-driven company that is continuously looking for ways to make your next installation easier. We encourage you to call us with your feedback or suggestions, toll-free at 1 800 891-0800.